

Daikin AURORA 2.0-Ton, 3-Port Heat Pump, Ductless ODU 3MXL24WMVJU9

#### **FEATURES**

Enhanced Capacity

#### **BENEFITS**

• 12 Year limited parts warranty with online registration



Page 1 of 4



Daikin AURORA 2.0-Ton, 3-Port Heat Pump, Ductless ODU 3MXL24WMVJU9

EFFICIENY	,				PERFORMANCE	
	SEER	EER	HSPF	СОР	COOLING:	HEATING:
Non-Ducted:					Rated (Btu/hr):	Rated (Btu/hr):
Ducted:					Operating 14°F - 115°F Range:	Operating -13°F - 60°F Range:
Mixed:	0	0	0	0	Rated Cooling Conditions:	Rated Heating Conditions:
					Indoor (°F DB/DB): 80 / 67 Ambient (°F DB/WB): 95 / 75	Indoor (°F DB/WB): 70 / 60 Ambient (°F DB/WB): 47 / 43

ELECTRICAL		PIPING			
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1	Max. System Piping Length: (feet):	230	Gas Conn. (inch):	3/8
System MCA: (Min.circuit amps)	20.1	Max. Interunit Piping Length: (feet):	New Attribute	Liquid Conn. (inch):	1/4
System MFA: (Max.fuse amps)	25.0	Max. Height Difference IDU to ODU (feet):	49.25	Drain Conn. (inch):	
Compressor RLA: (Rated load amps)	17.5	Max. Height Difference IDU to IDU (feet):	82		
Outdoor fan motor FLA: (Full load amps)	0.3	Refrigerant Pre-Charged Pipe Length (ft):	131.2		
Outdoor fan motor W: (Rated output watts)	FanMotorOutput?				

SPECIFICATIONS				
Compressor Type:	Swing	Compressor Stage:	Inverter	
Refrigerant Type:		Refrigerant Oil:	PVE (FVC50K)	
Factory Charge (Lbs):	6.17	Additional Refrigerant Charge (Ozs/ft):	0.21	
COOLING - Ai	rflow Rate (cfm):	HEATING - Airflow Rate (cfm):		
High:	2,094	High:	2,094	
Med:		Med:		
Low:		Low:		
Sound Level (dBA):	52	Sound Level (dBA):	54	
Dimensions (HxWxD) (in):	28-15/16 x 34-1/4 x 12-5/8	Net Weight (lb):	143	

Daikin North America LLC, 19001 Kermier Rd, Waller, TX 77484

www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Daikin City Generated Submittal Data



Daikin AURORA 2.0-Ton, 3-Port Heat Pump, Ductless ODU 3MXL24WMVJU9

# **DIMENSIONAL DRAWING**



Submittal Date: 3/30/2023 9:56:50 AM

Page 3 of 4



Daikin AURORA 2.0-Ton, 3-Port Heat Pump, Ductless ODU 3MXL24WMVJU9

# **OPTIONAL ACCESSORIES**

INCLUDED	PART NUMBER	DESCRIPTION
No	DACA-WB-3	Powder-Coated Wall-Mounted Bracket
No	KEH063A4EA	Bml LRg Drain Pan Heater Rev A
No	KKG063A42	Back protection wire net
No	KKG063A43	Side protection wire net (18 & 24)
No	KPS063A41	Snow hood (intake side plate) (15, 18 & 24)
No	KPS063A44	Snow hood (intake rear plate) (15,18 & 24)
No	KPS063A47	Snow hood (outlet) (15, 18 & 24)
No	KPW063B4	Air direction adjustment grille
No	RAQAHLGD1	Rear Coil Guard BML

Page 4 of 4