

AURORA 4 port hp, ductless od 3 Ton 4MXL36WVJU9

FEATURES

High-efficiency inverter driven swing compressor

BENEFITS

12 Year limited parts warranty with online registration





AURORA 4 port hp, ductless od 3 Ton 4MXL36WVJU9

EFFICIENY					PERFORMANCE		
	SEER	EER	HSPF	COP	COOLING:	HEATING:	
Non-Ducted:					Rated (Btu/hr):	Rated (Btu/hr):	
Ducted:					Operating 14°F - 115°F Range:	Operating -13°F - 60°F Range:	
Mixed:	0	0	0	0	Rated Cooling Conditions: Rated Heating Conditions:		
					Indoor (°F DB/DB): 80 / 67 Ambient (°F DB/WB): 95 / 75	Indoor (°F DB/WB): 70 / 60 Ambient (°F DB/WB): 47 / 43	

ELECTRICAL		PIPING			
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1	Max. System Piping Length: (feet):	230	Gas Conn. (inch):	3/8
System MCA: (Min.circuit amps)	30.2	Max. Interunit Piping Length: (feet):	New Attribute	Liquid Conn. (inch):	1/4
System MFA: (Max.fuse amps)	35.0	Max. Height Difference IDU to ODU (feet):	49.25	Drain Conn. (inch):	
Compressor RLA: (Rated load amps)	27.0	Max. Height Difference IDU to IDU (feet):	98		
Outdoor fan motor FLA: (Full load amps)	0.8	Refrigerant Pre-Charged Pipe Length (ft):	131.2		
Outdoor fan motor W: (Rated output watts)	FanMotorOutput?				

SPECIFICATIONS				
Compressor Type:	Swing	Compressor Stage:	Inverter	
Refrigerant Type:		Refrigerant Oil:	PVE (FVC50K)	
Factory Charge (Lbs): 8.60		Additional Refrigerant Charge (Ozs/ft):	0.21	
COOLING - Airflow Rate (cfm):		HEATING - Airflow Rate (cfm):		
High:	3,684	High:	3,356	
Med:		Med:		
Low:		Low:		
Sound Level (dBA):	53	Sound Level (dBA):	55	
Dimensions (HxWxD) (in):	34-1/4 x 43-5/16 x 18-1/8	Net Weight (lb):	214	

Daikin North America LLC, 19001 Kermier Rd, Waller, TX 77484

www.daikinac.com www.daikincomfort.com


Daikin City Generated Submittal Data

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)



AURORA 4 port hp, ductless od 3 Ton 4MXL36WVJU9

DIMENSIONAL DRAWING





AURORA 4 port hp, ductless od 3 Ton 4MXL36WVJU9

OPTIONAL ACCESSORIES

INCLUDED	PART NUMBER	DESCRIPTION
No	DACA-WB-3	Powder-Coated Wall-Mounted Bracket
No	KKG082A41	Back protection wire net 4MXL, 5 MXS
No	KPW082A41	Air direction adjustment grille

Submittal Date: 3/30/2023 9:57:20 AM

Page 4 of 4