



## Submittal Data Sheet

2 Ton LV Wall Mount

FTXS24WVJU9





## Submittal Data Sheet

2 Ton LV Wall Mount

FTXS24WVJU9

ELECTRICAL		PIPING	
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1	Gas Connection: (inch)	5/8
Running Current (A): (Rated amps)		Liquid Connection: (inch)	1/4
Power Consumption (W): (Rated watts)	FanMotorOutput?	Drain Connection: (inch)	5/8

SPECIFICATIONS			
COOLING - Airflow Rate (cfm):		HEATING - Airflow Rate (cfm):	
High:	643	High:	699
Med:	494	Med:	572
Low:	350	Low:	445
SuperLow:	328	SuperLow:	403
COOLING - Sound Level (dBA):		HEATING - Sound Level (dBA):	
High:	51	High:	48
Med:	44	Med:	42
Low:	37	Low:	37
SuperLow:	34	SuperLow:	34
Dimensions (HxWxD) (in):	13-3/8 x 41-5/16 x 9-3/4	Net Weight (lb):	31
Capacity Rated (Btu/hr):			




## Submittal Data Sheet

2 Ton LV Wall Mount

FTXS24WVJU9

## DIMENSIONAL DRAWING





## Submittal Data Sheet

2 Ton LV Wall Mount

FTXS24WVJU9

### OPTIONAL ACCESSORIES

INCLUDED	PART NUMBER	DESCRIPTION
No	AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor for Single- and Multi-Zone System (S21)
No	AZAI6WSPDKC	DKN Plus Interface
No	BRC944B2-A08	Wired Remote Controller kit
No	BRCW901A03	BRC944B2 CONTROL CABLE, 10FT
No	BRCW901A08	Wired Remote Controller Cord - 8m/26ft
No	DACA-ARCW901P10	IR Receiver Cable, Plenum Rated, 10ft
No	DACA-ARCW901P25	IR Receiver Cable, Plenum Rated, 25ft
No	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10ft
No	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25ft
No	DACA-CP1-1	Mini Aqua Condensate Pump
No	DACA-CP4-1	MINI WHITE PUMP KIT 100-250V
No	DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for VRV, SkyAir, Single- and Multi-Zone System
No	KAF970A46	Titanium apatite photocatalytic air-purifying filter WITHOUT frame
No	KRP928BB2S	RA Interface Adaptor for DIII-Net -