

1. Product type and definition

OBEX CORTEX 0200FR Interface Sealing Membrane Class A2

2. Name and contact address of supplier

Unit 5 St. Modwen Park, Norton Road, Broomhall, Worcester, WR5 2QR

3. Intended Use

EN 13984 Vapour control layer (type A)

4. System of assessment and verification of constancy of performance (AVCP)

System 3

5. Notified body

FIRES s.r.o. Notified Body No. 1396, Oslobodetel'ov 282, 059 35 Batizovce, Slovak Republic.

6. Declared performance

Harmonised Standard	EN 13984	
3rd Party Certification	BBA	Certificate No. 17/5396
Fire Classification	EN 13501-1	A2-s1,d0
Water Tightness	EN 1928	Pass - 2kPa for 24 hours
Air Tightness	EN 12114	<0.1m ³ net leakage
Tensile Strength	EN 12311-2	MD 7767 N/50mm, CD 3973 N/50mm
Resistance to Tearing (Nail Shank)	EN 12310-1	MD 519 N, CD 436 N
Cold Temperature Flexibility	EN 1109 / 495-5	- 40°C - no cracks

The performance of the product identified in section 1 is in conformity with the declared performance in point 6.
This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 2.
Signed for and on behalf of the manufacturer by:



Callum Doouss

17.10.23

